

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L2	0	L1 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L3	14	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L4	2	L3 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L5	12	L3 and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L6	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L7	1	L6 and cach\$3 with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L8	0	L6 and header with fragment with body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L9	0	L6 and header with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L10	0	L6 and cacheable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L11	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L12	1	L11 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L13	0	L11 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L14	1	L11 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L15	1	L11 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L16	0	L11 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L17	2931	711/118.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L18	135	(fragment same cach\$3 same header)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L19	487	709/241.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L20	7518	709/217.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L21	19	L18.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L22	1	L18.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L23	465	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L24	113	L23.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L25	55	L23.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L26	1128	fragment with cach\$3 suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L27	0	fragment with cach\$3 with suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L28	63	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L29	9603	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L30	502	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L31	12	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L32	0	L31 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L33	14	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L34	2	L33 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L35	12	L33 and L31	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L36	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L37	1	L36 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L38	0	L36 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L39	0	L36 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L40	0	L36 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L41	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L42	1	L41 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L43	0	L41 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L44	1	L41 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L45	1	L41 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L46	0	L41 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L47	2931	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L48	135	(fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L49	487	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L50	7518	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L51	19	L48.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L52	1	L48.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L53	465	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L54	113	L53.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L55	55	L53.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L56	1128	fragment with cach\$3 suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L57	0	fragment with cach\$3 with suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L58	63	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L59	9603	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L60	502	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L61	12	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L62	0	L61 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L63	14	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L64	2	L63 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L65	12	L63 and L61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L66	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L67	1	L66 and cach\$3 with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L68	0	L66 and header with fragment with body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L69	0	L66 and header with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L70	0	L66 and cacheable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L71	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L72	1	L71 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L73	0	L71 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L74	1	L71 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L75	1	L71 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L76	0	L71 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L77	2931	711/118.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L78	135	(fragment same cach\$3 same header)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L79	487	709/241.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L80	7518	709/217.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L81	19	L78.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L82	1	L78.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L83	465	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L84	113	L83.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L85	55	L83.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L86	1128	fragment with cach\$3 supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L87	0	fragment with cach\$3 with supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L88	63	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L89	9603	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L90	502	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L91	12	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L92	0	L91 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L93	14	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L94	2	L93 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56



L95	12	L93 and L91	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L96	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L97	1	L96 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L98	0	L96 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L99	0	L96 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L100	0	L96 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L101	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L102	1	L101 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L103	0	L101 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L104	1	L101 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L105	1	L101 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L106	0	L101 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L107	2931	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L108	135	((fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L109	487	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L110	7518	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L111	19	L108.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L112	1	L108.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L113	465	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L114	113	L113.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L115	55	L113.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L116	1128	fragment with cach\$3 supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L117	0	fragment with cach\$3 with supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L118	63	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56

L119	9603	711/111,112,113,114,115,116,117.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L120	502	717/148.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L121	2	"5675507".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L122	2	"6956663".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L123	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
L124	1	L123 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/07 13:56
S1	8	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
S2	0	S1 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
S3	8	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S4	0	S3 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S5	8	S3 and S1	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S6	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:20

S7	1	S6 and cach\$3 with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:22
S8	0	S6 and header with fragment with body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:23
S9	0	S6 and header with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:23
S10	0	S6 and cacheable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:26
S11	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:40
S12	1	S11 and server with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:40
S13	0	S11 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:12
S14	1	S11 and cache with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:53
S15	1	S11 and cache adj2 ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:54
S16	0	S11 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:57
S17	2357	711/118.ocls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:13
S18	104	((fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14

S19	349	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S20	5762	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S21	13	S18.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S22	0	S18.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S23	358	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S24	89	S23.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S25	42	S23.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S26	908	fragment with cach\$3 supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S27	0	fragment with cach\$3 with supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S28	51	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:16
S29	7598	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:21
S30	399	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:21

S31	10	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S32	0	S31 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S33	10	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S34	0	S33 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S35	10	S33 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S36	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S37	1	S36 and cach\$3 with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S38	0	S36 and header with fragment with body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S39	0	S36 and header with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S40	0	S36 and cacheable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S41	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S42	1	S41 and server with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04

S43	0	S41 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S44	1	S41 and cache with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S45	1	S41 and cache adj2 ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S46	0	S41 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S47	2563	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S48	119	(fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S49	411	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S50	6406	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S51	17	S48.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S52	1	S48.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S53	396	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S54	96	S53.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04

S55	48	S63.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S56	992	fragment with cach\$3 suport	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S57	0	fragment with cach\$3 with suport	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S58	56	fragment with cach\$3 with identifier	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S59	8398	711/111,112,113,114,115,116,117.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S60	431	717/148.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S61	11	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S62	0	S61 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S63	12	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S64	1	S63 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S65	11	S63 and S61	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S66	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23



S67	1	S66 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S68	0	S66 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S69	0	S66 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S70	0	S66 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S71	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S72	1	S71 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S73	0	S71 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S74	1	S71 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S75	1	S71 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S76	0	S71 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S77	2766	711/118.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S78	127	((fragment same cach\$3 same header)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

S79	449	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S80	7034	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S81	18	S78.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S82	1	S78.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S83	438	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S84	107	S83.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S85	51	S83.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S86	1071	fragment with cach\$3 supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S87	0	fragment with cach\$3 with supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S88	59	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S89	9088	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S90	477	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

S91	11	HTTP with cache\$4 with fragment with (ID identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S92	0	S91 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S93	12	cache\$4 with fragment with HTTP with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S94	1	S93 and @ad<"20011219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S95	11	S93 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S96	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S97	1	S96 and cach\$3 with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S98	0	S96 and header with fragment with body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S99	0	S96 and header with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S100	0	S96 and cacheable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S101	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S102	1	S101 and server with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

S103	0	S101 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S104	1	S101 and cache with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S105	1	S101 and cache adj2 ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S106	0	S101 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S107	2766	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S108	127	(fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S109	449	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S110	7034	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S111	18	S108.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S112	1	S108.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S113	438	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S114	107	S113.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

S115	51	S113.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S116	1071	fragment with cach\$3 suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S117	0	fragment with cach\$3 with suport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S118	59	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S119	9088	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S120	477	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S121	2	"5675507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/17 10:44
S122	2	"6956663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/17 10:46
S123	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/17 12:27
S124	1	S123 and cache with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/17 12:27

1/7/10 2:18:59 PM

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10034772.wsp